**minipack® - torre**

UNEXPECTED IDEAS

Minipack-Torre S.p.A.

Via Provinciale, 54 - 24044 Dalmine (BG) - Italy
Tel.: +39.035563525 - Fax +39.035564945
www.minipack-torre.it - info@minipack-torre.it

Idépack Verpakkingsmachines BV
Zeilmaker 8
NL-3861 SM Nijkerk
THE NETHERLANDS
Tel. +31(0)33 299 00 08
www.idepack.com
info@idepack.com

UK All the information and pictures in this catalog are based on product specifications last updated when it was published.
USA MINIPACK-TORRE S.p.A. reserves the right to modify colors, materials, features and specifications of its models anytime and without notice and is not responsible for possible typing errors. Product specifications are indicative and subject to manufacturer's verification. Some models may be pictured with accessories and/or features not available in some countries. All rights reserved. The reproduction in any way and through any mean is forbidden without the prior authorization of MINIPACK-TORRE S.p.A.



CONCEPT, CREATIVE, ART DIRECTION BAGRAF S.R.L.
PHOTOS ILARDO TEAM - DIECIDODICI
PRINTED 09.2008

MINIPACK-TORRE



L-SEALER MACHINES

MINIPACK-TORRE. UNEXPECTED IDEAS

FACILITIES

HEADQUARTERS

MINIPACK-TORRE is located in Dalmine, a few kilometres far from Bergamo. Here there are the Finance & Control and the R&D department, as well as the shrinking and vacuum manufacturing facilities. At present time the manufacturing plant is the core of the company. This is equipped with advanced and flexible tools and CNC machines for the production of all the mechanical components.

SALES DEPARTMENT

According to the policy of the company to expand and consolidate itself on the market, since some years a new building has been realised near the Headquarters. Inside there is: the sales department, the warehouse and logistic department, a 100 seat theatre for sales meeting and technical training and, last but not least, a wide show room where the whole range of machines is displayed. These are always at distributors and customers disposal for all the kind of tests to be made.

STEELWORKS

Situated in the manufacturing plant in Osio Sotto (Bg), close to the Headquarters, there is the completely automated steelworks, with Hi-Tech equipment for the production of all the chassis.

Ten world-wide patented models, four technological advanced production facilities (one completely automated), a world-wide distribution network, a widespread technical assistance, the Certificate of Quality UNI EN ISO 9001:2000: this is what today MINIPACK-TORRE is.

In more than 30 years the company has gained a world-wide leader position in the packaging machines field. Any equipment provided is reliable, ensures a good productivity and always impresses for the great ideas which has.

R&D.

Every year 5% of the general turnover is invested in R&D. This continuous research allows MINIPACK-TORRE to always be on the top level of a market which is constantly in evolution. Thanks to the R&D department the company is always able to offer new advanced and reliable packaging systems.

SAFETY: TOP PRIORITY.

More than others, MINIPACK-TORRE has taken into great consideration the safety of the operators of their machines. That is why they deeply and continuously studied and developed new safety systems.

Hi-TECH MANUFACTURING PLANTS.

The manufacturing plants are completely automatised. The staff is continuously working in order to fulfil any specific and customised requirements from all the customers.

GOING-OVER CONTROLS.

All the materials and components are of first quality. Moreover each production step is supervised by technical skilled employees, each machine is submitted to strict tests and to a long final inspection before being delivered.

QUALITY POLICY.


The two Certificates of Quality UNI EN ISO 9001 - VISION 2000 obtained in the year 2001 represent an important goal and a never-ended engagement to satisfy the customers thanks to a strict quality control procedure in production, commercial services and after sales assistance.


DESIGN AND PRODUCTION.

We believe that in order to achieve goods results, every single project has to be personally followed from the beginning to the end. At MINIPACK-TORRE all the steps of a project are entirely developed inside the company. That is why a steelworks has been created inside the company to build all the chassis and the whole components of the machines. This gives a great flexibility to the whole structure.

WIDESPREAD COMMERCIAL NETWORK AND AFTER SALES ASSISTANCE

Thanks to 2 sister companies in France and in the United States along with more than 110 sales distributors all over the world (25 of which just in Italy) MINIPACK-TORRE is able to provide a widespread and efficient sales network. Moreover the after sales department along with the commercial staff of MINIPACK-TORRE regularly organises sales and technical meetings to train the wide number of distributors and reps. An adequate technical knowledge is compulsory to give the best possible service to the thousands end uses of MINIPACK-TORRE machines.





MEDIA

THE VIRTUE OF COMPACTNESS.

The MINIPACK-TORRE range of modular, semiautomatic angular machines is completed by MEDIA, with its distinctive monoblock structure. The shrinking tunnel, with adjustable temperature height and speed is incorporated with the sealing unit: this solution renders the machine more compact and versatile.

MEDIA retains all the high profile

technological features: the sealing time is electronically regulated and teflon coated blades ensure that no fumes are generated. The "on board" equipment leaves nothing to be desired either: the sealing bar and motor driven waste winder are fitted as standard.

MEDIA a packaging machine for companies that think big!






TECHNICAL DATA

Electrical power supply	V	200/208/220/380/415
Maximum power	kW	5.6
Production per hour*	p/h	0-900
Effective sealing bar dimensions	mm in	540 x 400 21 x 16
Max. roll dimensions	mm in	Ø 350 x 600 Ø14 x 24
Working plate height	mm in	875 34
Machine dimensions (with hood open)	mm in	2330 x 730 x 1380 (motor) 92 x 29 x 54 (motor)
Machine dimensions (with hood closed)	mm in	2330 x 730 x 1380 (motor) 92 x 29 x 54 (motor)
Packed machine dimensions	mm in	2500 x 900 x 1510 98 x 35 x 59
Machine weight (Net/Gross)	kg pound	287/343 130/156
Tunnel infeed dimensions	mm in	440 x 240 17 x 10

* Depends on type of product, film and operator ability.

OPTIONAL

Stainless steel sealing plate
Blower
Film separator sheet
Stainless steel 0.5 mt. / 20 in Roller conveyor
1 mt. / 40 in Roller conveyor
Teflon tunnel belt
Sealing belt for foodstuffs



FEATURES

- Electromechanical automation
- Automatic sealing speed regulator
- Adjustable height motor driven conveyor belt
- Waste winder
- Sealing bars with closed circuit cooling system and patented safety system
- Orientable shrinking tunnel air flow
- Adjustable temperature with electronic thermo-regulator
- Thermally isolated structure

