



minipack® - torre


UNEXPECTED IDEAS

Minipack-Torre S.p.A.

Via Provinciale, 54 - 24044 Dalmine (BG) - Italy
Tel.: +39.035563525 - Fax +39.035564945
www.minipack-torre.it - info@minipack-torre.it

Idépack Verpakkingsmachines BV
Zeilmaker 8
NL-3861 SM Nijkerk
THE NETHERLANDS
Tel. +31(0)33 299 00 08
www.idepack.com
info@idepack.com

UK USA All the information and pictures in this catalog are based on product specifications last updated when it was published. MINIPACK-TORRE S.p.A. reserves the right to modify colors, materials, features and specifications of its models anytime and without notice and is not responsible for possible typing errors. Product specifications are indicative and subject to manufacturer's verification. Some models may be pictured with accessories and/or features not available in some countries. All rights reserved. The reproduction in any way and through any mean is forbidden without the prior authorization of MINIPACK-TORRE S.p.A.



CONCEPT: CREATIVE, ART DIRECTION: B. M. S. P. PRODOTTO: ILARDO TEAM - DIECIBODICI PRINTED: 09.2008

MINIPACK-TORRE



L-SEALER MACHINES

MINIPACK-TORRE. UNEXPECTED IDEAS

FACILITIES

HEADQUARTERS

MINIPACK-TORRE is located in Dalmine, a few kilometres far from Bergamo. Here there are the Finance & Control and the R&D department, as well as the shrinking and vacuum manufacturing facilities. At present time the manufacturing plant is the core of the company. This is equipped with advanced and flexible tools and CNC machines for the production of all the mechanical components.

SALES DEPARTMENT

According to the policy of the company to expand and consolidate itself on the market, since some years a new building has been realised near the Headquarters. Inside there is: the sales department, the warehouse and logistic department, a 100 seat theatre for sales meeting and technical training and, last but not least, a wide show room where the whole range of machines is displayed. These are always at distributors and customers disposal for all the kind of tests to be made.

STEELWORKS

Situated in the manufacturing plant in Osio Sotto (Bg), close to the Headquarters, there is the completely automated steelworks, with Hi-Tech equipment for the production of all the chassis.

Ten world-wide patented models, four technological advanced production facilities (one completely automated), a world-wide distribution network, a widespread technical assistance, the Certificate of Quality UNI EN ISO 9001:2000: this is what today MINIPACK-TORRE is.

In more than 30 years the company has gained a world-wide leader position in the packaging machines field. Any equipment provided is reliable, ensures a good productivity and always impresses for the great ideas which has.

R&D.

Every year 5% of the general turnover is invested in R&D. This continuous research allows MINIPACK-TORRE to always be on the top level of a market which is constantly in evolution. Thanks to the R&D department the company is always able to offer new advanced and reliable packaging systems.

SAFETY: TOP PRIORITY.

More than others, MINIPACK-TORRE has taken into great consideration the safety of the operators of their machines. That is why they deeply and continuously studied and developed new safety systems.

Hi-TECH MANUFACTURING PLANTS.

The manufacturing plants are completely automatised. The staff is continuously working in order to fulfil any specific and customised requirements from all the customers.

GOING-OVER CONTROLS.

All the materials and components are of first quality. Moreover each production step is supervised by technical skilled employees, each machine is submitted to strict tests and to a long final inspection before being delivered.

QUALITY POLICY.


The two Certificates of Quality UNI EN ISO 9001 - VISION 2000 obtained in the year 2001 represent an important goal and a never-ended engagement to satisfy the customers thanks to a strict quality control procedure in production, commercial services and after sales assistance.

DESIGN AND PRODUCTION.

We believe that in order to achieve goods results, every single project has to be personally followed from the beginning to the end. At MINIPACK-TORRE all the steps of a project are entirely developed inside the company. That is why a steelworks has been created inside the company to build all the chassis and the whole components of the machines. This gives a great flexibility to the whole structure.

WIDESPREAD COMMERCIAL NETWORK AND AFTER SALES ASSISTANCE

Thanks to 2 sister companies in France and in the United States along with more than 110 sales distributors all over the world (25 of which just in Italy) MINIPACK-TORRE is able to provide a widespread and efficient sales network. Moreover the after sales department along with the commercial staff of MINIPACK-TORRE regularly organises sales and technical meetings to train the wide number of distributors and reps. An adequate technical knowledge is compulsory to give the best possible service to the thousands end uses of MINIPACK-TORRE machines.





TUNNEL 50




TUNNEL 50 TWIN



TUNNEL 70

TUNNEL 50 TUNNEL 50 INOX TUNNEL 50 TWIN TUNNEL 70

**FLEXIBLE AND
UPDATED SOLUTIONS
TO GET THE BEST
PACKAGING.**



TECHNICAL DATA

		TUNNEL 50	TUNNEL 50 TWIN	TUNNEL 70
Power supply	V	200/208/220/380/415/440	200/208/220/380/415	200/208/220/380/415
Power max.	Kw	7	14	14
Conveyor speed	Min	m/min 1	2	1
	Medium	m/min 5	10	5
	Max	m/min 12	24	12
Max product dimensions	mm	380x220 lg.700	380x220 lg.1140	500x350 lg.800
	in	14.96x8.66 lg. 27.56	14.96x8.66 lg.44.88	19.69x13.78 lg31.50
In-feed working belt height	mm	860/890	930/960	845/875
	in	33.86/35.04	36.61/37.80	33.27/34.45
Out-feed working belt height	mm	860	930	845
	in	33.86	36.61	33.27
Machine dimensions	mm	1280x850 h.1470	1725x800 h.1535	1820x1200 h.1640
	in	50.39x33.46 h.57.87	67.91x31.50 h.60.43	71.65x47.24 h.64.57
Packed machine dimensions	mm	1390x850 h.1640	1930x980 h.1745	2030x1230 h.1830
	in	54.72x33.46 h.64.57	75.98x38.58 h.68.70	79.92x48.43 h.72
Machine weight (net/gross)	Kg	188/228	260/318	415/483
	pound	414/502	572/700	913/1063
Tunnel entrance dimension	mm	440x240	440x240	680x380
	in	17.32x9.45	17.32x9.45	26.77x14.96

FEATURES

- Manual regulation of conveyor height
- Digital display with 9 storable programs
- Selection of self rotation of conveyors rolls
- Double air flap
- Auto switch-off
- Exit roll conveyor
- Two independent heating rooms

OPTIONAL

- Plexiglas thermal protections at the inlet and outlet of the tunnel
- Teflon belt
- Metal belt